

TECHNICAL REPORT NATICK/TR-99/013

ΑD			

VARIABLES AFFECTING THE ACCEPTABILITY OF IRRADIATION STERILIZED GROUND BEEF PRODUCTS AND THE EFFECTS OF FLAVORED SALTS, PEPPER, AND TEXTURED SOY PROTEIN

by
Joseph S. Cohen
Gary W. Shults
and
Vera C. Mason

January 1999

Final Report 1977 and 1978

Approved for Public Release; Distribution Unlimited

19990125 (

U.S. ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND SOLDIER SYSTEMS CENTER NATICK, MASSACHUSETTS 01760-5018

DISCLAIMERS

The findings contained in this report are not to

be construed as an official Department of the Army

position unless so designated by other authorized

documents.

Citation of trade names in this report does not constitute an official endorsement or approval of the use of such items.

DESTRUCTION NOTICE

For Classified Documents:

Follow the procedures in DoD 5200.22-M, Industrial
Security Manual, Section II-19 or DoD 5200.1-R,
Information Security Program Regulation, Chapter IX.

For Unclassified/Limited Distribution Documents:

Destroy by any method that prevents disclosure of contents or reconstruction of the document.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis / Ingliff dy, said 120 i, i i i i gran, i i i i i i i i		3			
1. AGENCY USE ONLY (Leave black			3. REPORT TYPE AN	D DATES	COVERED
	Janua	ry 1999	FINA	L 1977 -	
4. TITLE AND SUBTITLE		····		5. FUND	ING NUMBERS
VARIABLES AFFECTING T					COAROLA
STERILIZED GROUND BEI OF FLAVORED SALTS, PEI					C 8AB81A N 3122
6. AUTHOR(S)	FFER AND TEXT	KED SOT I	KOTEIN	ł	N 5122
o. Authority					
Joseph S. Cohen, Gary W. Shi	ults, and Vera C. Ma	ason			
7. PERFORMING ORGANIZATION N	IAME(S) AND ADDRE	SS(ES)			DRMING ORGANIZATION RT NUMBER
U.S. Army Soldier and Biolog	gical Chemical Com	mand			
Soldier Systems Center	•			NAT	CK/TR-99/013
ATTN: SBCCOM: W					
Natick, MA 01760-5018					
9. SPONSORING/MONITORING AG	ENCY NAME(S) AND	ADDRESS(ES)		SORING/MONITORING ICY REPORT NUMBER
				AGEN	CT REPORT HOMBER
				ļ	•
•					
11. SUPPLEMENTARY NOTES					in the second se
12a. DISTRIBUTION / AVAILABILITY	STATEMENT			12b. DIST	TRIBUTION CODE
			·	,	
Ammerced for Dublic Delegan	Distribusion TI-1::	4.3			
Approved for Public Release;	Distribution Unitmi	tea			
13. ABSTRACT (Maximum 200 word	ds)				
	•				
Irradiation sterilized ground be					
salt and garlic salt. The patties					
20%TSP had no effect on the smore preferred product. The o					
any of the flavors. This study	demonstrated that a	n accentable	irradiation sterilized or	ound beef	nroduct can be successfully
prepared.		ar acceptance	inducation stormized gr	ound over	product our oc succession,
• •					
			•		
				,	
14. SUBJECT TERMS					15. NUMBER OF PAGES
GROUND BEEF	SALTS		ED SOY PROTEIN	ļ	29 16. PRICE CODE
SOY PROTEIN ACCEPTABILITY	PEPPER IRRADIATION		TESTING		IO. PRICE CODE
	18. SECURITY CLASS		TON STERILIZED FO 19. SECURITY CLASSIFIE		20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE		OF ABSTRACT		
UNCLASSIFIED	UNCLASSIFI	ED 1	UNCLASSIFIED		SAR

TABLE OF CONTENTS

	<u>Page</u>
List of Tables	i v
Preface	v
Introduction	1
Experimental Design	1
Results and Discussion	2
Summary	19
References	20

LIST OF TABLES

<u>Tab</u>	<u>lle</u>	<u>Page</u>
1.	Ingredients in Different Samples	3
2.	Combinations of Products on Individual Tests (Eight Member Panels)	3
3.	Preference Scores for Individual Samples	4
4.	Color Sensory Scores for Individual Samples	5
5.	Odor Sensory Scores for Individual Samples	6
6.	Flavor Sensory Scores for Individual Samples	7
7.	Texture Sensory Scores for Individual Samples	8
8.	Appearance Sensory Scores for Individual Samples	9
9.	Effect of TSP on Sensory Scores	10
10.	Effect of Pepper on Sensory Scores	12
11.	Effect of Added Flavorings on Preference Scores	13
12.	Effect of Added Flavorings on Sensory Color Scores	14
13.	Effect of Added Flavorings on Sensory Odor Scores	15
14.	Effect of Added Flavorings on Sensory Flavor Scores	16
15.	Effect of Added Flavorings on Sensory Texture Scores	17
16.	Effect of Added Flavorings on Sensory Appearance Scores	18
17.	Effect of Salt, Onion Salt and Garlic Salt on Sensory Scores	19
18	Proximate Analysis of Raw Product	19

PREFACE

This report describes research conducted by members of the Irradiated Food Products Group, Radiation Preservation of Food Division, Food Engineering Laboratory, US Army, Natick Research and Development Command in 1977 and 1978.

It is being published now as the Army has expressed a need for irradiation sterilized meat products, (Loveridge, 1994). The data is relevant.

Ground beef patties were prepared with the addition of textured soy protein (TSP) and various flavorings. The added flavorings were: salt, pepper, onion salt and garlic salt. The beef patties were then irradiation sterilized and sensory tested by trained panels of eight persons. The sensory results were then combined in various ways to show the effect of the flavorings.

The addition of 20% TSP had no effect on sensory results except that it gave a preferred color. The addition of 0.2% pepper gave a more preferred product. The flavoring additions all gave a highly acceptable product with no preference shown for any of the flavorings.

Citation of trade names in this report does not constitute an official endorsement or approval of such items.

VARIABLES AFFECTING THE ACCEPTABILITY OF IRRADIATION STERILIZED GROUND BEEF PRODUCTS AND THE EFFECTS OF FLAVORED SALTS, PEPPER AND TEXTURED SOY PROTEIN

Introduction

The use of soy protein analogs as meat extenders is becoming more widespread (Pearson, 1973). By allowing the replacement of up to 30% of the ground beef in products in the school lunch program with a hydrated textured soy protein (TSP) containing 60 to 65% moisture, the United States Department of Agriculture's (USDA) Food and Nutrition Service has provided great impetus to its use (FNS Notice 219, 1971).

Problems of consumer acceptance of this form of product still exist. Cohen et al. (1976) investigated the effect of different levels of fat and TSP in a ground beef product containing salt and phosphates to improve juiciness. Their work was done with an irradiation sterilized ground beef product.

Cross et al. (1975) reported that beef patties with TSP at a 25% level of fat rated higher in tenderness than patties without TSP addition. Also, addition of TSP to beef patties did not significantly affect consumer panel ratings. Patties with 12.5 or 20% TSP levels had equal or superior palatability ragings when compared to patties without TSP.

This investigation deals with the effects of TSP addition at a 20% level and the addition of flavorings, salt, onion salt, garlic salt and pepper in various combinations, on the expert panel ratings of different sensory attributes and the total preference of an irradiation sterilized ground beef product.

Experimental Design

The samples of ground beef all contained the same amount of fat, approximately 9.5%. They also contained either no added TSP or 20% hydrated TSP (approximately 70% moisture. The TSP used is the fibrous product manufactured by Ral-Con Corporation. It has a dark brown color and contains 0.27 to 0.28% added phosphorous in the form of sodium tripolyphosphate (TPP) (Na5P3O10).

The ground beef was prepared from USDA Choice whole rounds, consisting of semimembranosus, semitendinosus, and biceps femorus attached muscles, about seven to ten days post-mortem. They were trimmed to approximately 9.5% fat, cut into small pieces and ground through a 13 mm breaker plate. The rehydrated TSP was also ground through the same plate.

The ground meat was then mixed with 3.0% ice, TSP, TPP and flavorings (salt, onion salt, garlic salt and pepper in varying concentrations). Mixing was done in a Hobart Model No. H-600-DTM mixer for five minutes at moderate speed.

The mixed ground meat was then formed into patties, 120 + 2 g in weight and 52 + 2 mm in diameter. The patties were enzyme inactivated in a 245 + 10 °C oven for eight minutes on one side, turned and cooked for three minutes on the other side. An internal temperature of 80 + 5 °C was achieved.

Four ground beef patties were packed in a 404 x 309 size can, with epoxy-phenolic enamel, and sealed under a pressure of 7 + 1 kPa. The cans were held at -40 + 2 °C until irradiation processing.

The ground beef patties in cans were irradiated in a Co^{60} gamma ray source. They received a dose of 37 ± 10 ky at a processing temperature of -30 ± 2 °C and held at room temperature until tested by a trained panel of eight members. The samples were heated to 60 ± 3 °C before serving. The panelists were asked to rate the samples for the characteristics of odor, flavor, color, texture and appearance using an intensity scale of: 1 - extremely poor; 2 - very poor; 3 - poor; 4 - below fair, above poor; 5 - fair; 6 - below good, above fair; 7 - good; 8 - very good; 9 - excellent. In addition, preference ratings were obtained from the panels using a hedonic scale of one to nine with one meaning dislike extremely to nine meaning like extremely, Peryam and Pilgrim (1957). A rating of five "neither like nor dislike or above was considered to be acceptable for an irradiated ground beef patty.

Six products were served to the panelists at a temperature of 60 ± 3 °C. On any individual test, the patties were cut into quarter sections and served on a randum basis to minimize any position effect. Each product was served on two different tests, with different products, to achieve a total number of 16 ratings. Table 1 lists the variables involved with the experiment. Table 2 lists the products served on each test. The eight-member panel was generally the same for each test. When all the results were obtained they were combined in various ways and the data was analyzed by analysis of variance as outlined by Snededecor and Cochran (1967).

The method of combining tests scores from different tests was decided upon as the best method for increasing the validity of the data and to achieve a large enough sample size with a minimum of tests.

Results and Discussion

Table 1 shows the ingredients in each sample.

Table 2 shows the combination of products tested on each panel test.

Table 3 lists the mean preference and sensory scores and their standard deviations for each of the 24 different tests, with a total of 16 panelists. The sensory scores are further analyzed for sample differences.

Table 4 shows the effects of TSP addition. Part A compares samples with 20% added TSP and without TSP, all without pepper. The product containing the TSP, brown in color, had significantly better color (0.01 level) than the sample without TSP. Part B shows the same comparison with the addition of 0.2% pepper. Again the color of the TSP added sample was significantly better (0.05 level). Both of these comparisons involved 96 scores. Part C combines the results of Parts A and B. The sample with the added TSP had significantly better color (0.01 level). No other characteristic showed any significant difference, but it should be noted that the TSP was dark brown. This comparison involved 192 scores.

Table 1 - Ingredients in Different Samples

Sample			Percent		
Number	Pepper	Salt (NaCl)	Onion Salt	Garlic Salt	TSP
1	0.0	0.8	0.0	0.0	0.0
2	0.2	0.8	0.0	0.0	0.0
3	0.0	0.0	0.8	0.0	0.0
4	0.2	0.0	0.8	0.0	0.0
5	0.0	0.4	0.4	0.0	0.0
6	0.2	0.4	0.4	0.0	0.0
7	0.0	0.0	0.0	0.8	0.0
	0.2	0.0	0.0	0.8	0.0
8 9	0.0	0.4	0.0	0.4	0.0
10	0.2	0.4	0.0	0.4	0.0
11	0.0	0.0	0.4	0.4	0.0
12	0.2	0.0	0.4	0.4	0.0
13	0.0	0.8	0.0	0.0	20
14	0.2	0.8	0.0	0.0	20
15	0.0	0.0	0.8	0.0	20
16	0.2	0.0	0.8	0.0	20
17	0.0	0.4	0.4	0.0	20
18	0.2	0.4	0.4	0.0	20
19	0.0	0.0	0.0	0.8	20
20	0.2	0.0	0.0	0.8	20
21	0.0	0.4	0.0	0.4	20
22	0.2	0.4	0.0	0.4	20
23	0.0	0.0	0.4	0.4	20
24	0.2	0.0	0.4	0.4	20

Table 2 - Combinations of Products on Individual Tests (Eight Member Panels)

Test Number	<u>Co</u>	mbi	nati	ons	T	<u>ested</u>
1	1	2	3	4	7	8
2	5	6	9	10	11	12
3	2	4	6	8	10	12
4	1	3	5	7	9	11
5	13	14	15	16	19	20
6	17	18	21	22	23	24
7	14	16	18	20	22	24
8	13	15	17	19	21	23

Table 3 - Preference Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	Standard Deviation	
1	5.8	1.3	
	6.4	1.5	
2 3 4	6.0	1.5	
4	6.3	1.1	
5	5.7	1.2 <u>Ana</u>	alysis of Variance
6	6.1	1.2	
7	6.4	1.2 E =	= 0.90 (NSD)
6 7 8 9	6.4	1.4	
9	6.1	1,1	
10	6.6	1.2	
11	6.0	1.3	
12	6.6	1.1	
13	6.3	1.3	
14	6.1	1.4	
15	5.8	1.7	
16	6.3	1.6	
17	6.8	0.9	
18	6.8	1.1	
19	5.9	1.2	
20	6.3	1.1	•
21	6.4	1.6	
22	6.3	1.3	
23	6.4	1.3	
24	6.3	1.3	

Table 4 - Color Sensory Scores for Individual Samples

<u>Sample</u>	Mean	Standard Deviation	Identity *
1	6.4	1.2	b,c,d
2	6.5	1.6	b,c,d
3	6.1	1.2	a,b
4	6.4	1.2	b,c,d
5	5.8	1.3	a
6	6.3	1.1	a,b,c Analysis of Variance
7	6.3	1.4	a,b,c
8	6.5	1.5	b,c,d $F = 2.35$
9	5.8	1.5	a (0.01 significance)
10	6.6	1.0	b,c,d
11	5.8	1.2	a
12	6.8	0.9	c,d
13	6.9	0.5	d
14	6.8	0.9	c,d
15	6.9	0.5	d
16	6.9	0.5	d
17	6.6	0.6	b,c,d
18	6.9	0.9	. d
19	6.8	0.9	b,c,d
20	6.9	0.6	d
21	6.5	1.0	b,c,d
22	6.8	0.6	c,d
23	6.8	0.9	c,d
24	6.8	0.7	c

^{*} Scores preceded by the same letter are not statistically different.

Table 5 - Odor Sensory Scores for Individual Samples

<u>Sample</u>	Mean	Standard Deviation	•
1	6.3	1.1	
	6.4	1.0	
2 3	6.1	1.3	
4 5	6.6	1.0	
	6.3	1.1	Analysis of Variance
6	6.3	1.4	
	6.6	1.3	$\underline{F} = 0.90 \text{ (NSD)}$
7 8 9	6.7	1.3	
9	6.3	1.0	
10	6.6	1.2	
11	6.3	1.3	
12	6.8	1.0	
13	6.3	1.3	
14	6.2	. 1.1	
15	5.7	1.7	
16	6.6	1.5	
17	6.5	0.8	
18	6.6	0.7	
19	6.3	1.2	
20	6.6	1.2	
21	6.8	1.5	
22	6.5	1.0	
23	6.4	1.0	
24	6.4	1.0	

Table 6 - Flavor Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	Standard Deviation	
1	5.9	1.3	
	6.4	1.4	
2 3	6.6	1.0	
4	6.4	1.3	
5	5.8	1.4	
6	6.3	1.8	
7	6.4	1.3	Analysis of Variance
8 9	6.4	1.7	
9	6.3	1.0	$\underline{F} = 0.69 \text{ (NSD)}$
10	6.6	1.1	
11	6.1	1.2	
12	6.6	1.3	
13	6.1	1.7	
14	6.1	1.5	
15	5.9	1.7	
16	6.3	1.7	
17	6.9	1.0	
18	6.8	0.9	
19	5.8	1.6	
20	6.5	2.0	
21	6.4	1.5	
22	6.4	1.3	
23	6.3	1.2	
24	6.5	1.2	

Table 7 - Texture Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	Standard Deviation	Identity *		
1	5.7	1.1	d		
	6.7	1.0	b		
2 3	6 .6	1.0	a,b		
4	6.6	1.4	a,b	<u>Analysis</u>	s of Variance
5	6.7	1.1	b		
6	6.6	1.3	a, b	F = 1.78	3
7	6.7	1.1	b	(0.05	significance)
8 9	6.7	1.2	b		
9	6.6	1.1	a,b		
10	6.8	1.1	b		
11	6.5	1.2	a,b		
12	6.9	0.8	b		
13	7.1	0.9	b		
14	6.6	0.8	a,b		
15	7.0	0.7	b		
16	7.0	0.9	b		
17	7.1	0.7	b		
18	6.9	0.6	b		
19	6.5	1.2	a		
20	6.9	0.8	b		
21	6.9	1.2	, p		
22	6.8	0.9	b .		
23	6.6	1.0	a,b		
24	6.8	0.9	b		

Scores preceded by the same letter are not statistically different

Table 8 - Appearance Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	Standard Deviation	
1	6.8	0.9	
2	6.8	1.3	
2 3 4 5	6.6	1.2	
4	6.6	1.3	Analysis of Variance
5	6.6	1.8	
6	6.7	2.0	$\underline{F} = 0.15 \text{ (NSD)}$
7	6.6	1.2	
6 7 8 9	6.8	1.1	
9	6.7	1.2	
10	6.8	1.0	
11	6.7	1.1	
12	6.8	1.0	
13	6.9	0.7	
14	6.7	0.8	
15	6.8	0.7	
16	6.6	0.9	
17	6.7	0.8	
18	6.9	0.6	
19	6.6	0.9	
20	6.5	1.1	
21	6.7	1.1	
22	6.6	1.0	
23	6.6	1.0	
24	6.9	0.6	

Table 9 - Effect of TSP on Sensory Scores

	nce (Color	Odor]	Florer			~ ~	
A No Domes				<u>Plavoi</u>	Texture .	<u>Appearance</u>	N	<u>Products</u>
A. No Pepper								
a. 20% TSP) .,							
Mean 6.		6.7	6.2	6.2	6.9	6.7	96	13 15 17
<u>SD</u> 1.	.3	0.8	1.3	1.5	1.0	0.9		19 21 23
b. 0% TSP,								
Mean 6.		6.0	6.4	6.1	6.6	6.7	96	1 3 5 7 9 11
<u>SD</u> 1.		1.3	1.1	1.2	1.1	1.0		7 9 11
<u>F</u> 2.	.6	21.1**	0.8	0.6	2.4	0.1		
B. 0.2% Pepp	oer							
a. 20% TSP								
Mean 6.	4	6.9	6.5	6.4	6.8	6.7	96	14 16 18
<u>SD</u> 1,	.3	0.6	1.1	1.3	0.8	1.1		20 22 24
b. 0% TSP								
Mean 6.		6.5	6.6	6.5	6.7	6.7	96	2 4 6
<u>SD</u> 1.	2	1.2	1.1	1.3	1.0	1.2		8 10 12
<u>F</u> 0.	1	6.4*	0.3	0.0	0.7	0.1		
C. Combined	Data o	f A. and	В.					
a. 20% TSP								
Mean 6.		6.8	6.4	6.3	6.8	6.7	192	13 14 15 16
<u>SD</u> 1.		0.7	1.2	1.4	0.9	0.9		17 18 19 20
								21 22 23 24
<u>b. 0% TSP</u>								
<u>Mean</u> 6. <u>SD</u> 1.		6.3 1.3	6.5 1.1	6.3 1.9	6.7 1.1	6.7 1.0	192	1 2 3 4 5 6 7 8
<u>3D</u> 1.	Z	1.5	1.1	1.9	1.1	1.0		9 10 11 12
<u>F</u> 1.	0	25.3**	1.0	0.	1.0	0.0		

^{*} 0.05 % significance ** 0.01 significance

Table 10 shows the effects of pepper addition. Part A compares samples without TSP. The product with 0.2% pepper addition was significantly better for preference (0.05 level), color (0.01 level) and flavor (0.05 level). No other characteristic was significantly affected. Part B compares samples with 20% added TSP. There were no significant differences. Part C combines the results for Parts A and B. The samples with the added pepper were significantly preferred (0.05 level), had better color (0.01 level), better odor (0.05 level) and better flavor (0.05 level). No other differences were shown. Parts A and B used 96 scores. Part C used 192 scores.

Tables 11 to 16 show the effect of the addition of the various flavorings on sensory scores. In all the tables, Part A is the data for the combinations of TSP addition. Part a has no added pepper. Part b has 0.2% added pepper. Part B is the data for the combinations of pepper addition. Part c has no added TSP. Part d has 20% added TSP. No significant differences were shown for any of these scores. Each score is the mean of 32 panelist ratings.

Table 17 combines the flavoring scores to ignore the effect of pepper or TSP addition. Again, no significant differences occurred. A total of 64 panelist ratings were evaluated.

All the sensory scores showed that the patties prepared in this manner were quite acceptable. The scores were generally above 6.0. The range was 5.7 to 7.1 for all the variables evaluated.

The addition of 0.2% pepper gave a more preferred product. The addition of 20% TSP had no effect on organoleptic results except that it gave a preferred color. The flavoring additions gave a highly acceptable product, but no preferences were shown for any of the flavors.

Table 10 - Effect of Pepper on Sensory Scores

	<u>Pref-</u>		0.1	Sensory		A = = = = = = = = = = = = = = = = = = =	Nī	Tested Products
	erence	Color	<u>Odor</u>	Flavor	<u>rexture</u>	Appearance	14	Products
A. No TS	<u>P</u>							
	a. 0.2%	Pepper	Additio	<u>n</u>				
<u>Mean</u>	6.4	6.5	6.6	6.5	6.7	6.7	96	2 4 6
<u>SD</u>	1.2	1.2	1.1	1.3	1.0	1.2		8 10 12
	b. 09	Pepper	Additio	<u>n</u>				
<u>Mean</u>	6.0	6.0	6.4	6.1	6.6	6.7	96	1 3 5
SD	1.2	1.3	1.1	1.2	1.1	1.0		7 9 11
E	6.1*	6.7**	1.5	4.0	0.3	0.1		
B. 20% T	<u>SP</u>							
	a. 0.2	2% Pepp	er Additi	<u>ion</u>				
<u>Mean</u>	6.4	6.9	6.5	6.4	6.8	6.7	96	14 16 18
SD	1.3	0.8	1.3	1.5	1.0	0.9		20 22 24
	<u>b. 0%</u>	Pepper						
<u>Mean</u>	6.3	6.7	6.2	6.2	6.9	6.7	96	13 15 17
SD	1.3	0.8	1.3	1.5	1.0	0.9		19 21 23
<u>F</u>	0.3	1.6	2.5	0.9	0.1	0.0		
C. Comb	ined Data	of Parts	A and E	<u>3</u>				
	a. 0.2	2% Pepp	er Additi	ion				
<u>Mean</u>	6.4	6.7	6.5	6.4	6.8	6.7	192	2 4 6 8
SD	1.3	1.0	1.1	1.7	0.9	0.9		10 12 14 16
								18 20 22 24
	b. 09	6 Pepper	Additio	<u>n</u>				
<u>Mean</u>	6.1	6.4	6.3	6.2	6.7	6.7	192	1 3 5 7
<u>SD</u>	1.3	1.6	1.2	1.4	1.0	0.9		9 11 13 15 17 19 21 23
<u>F</u>	4.2*	7.7**	4.0	4.2*	0.1	0.0		

^{* - 0.05} significance

^{** 0.01} significance

Table 11 - Effect of Added Flavorings on Preference Scores

		Percent	t Additives					Tested
<u>Pepper</u>	<u>TSP</u>	Salt (NaCl)	Onion Salt	Garlic Salt	<u>Mean</u>	<u>SD</u>	N	Products
A. TSP	Addition							
a. No	o Added	Pepper						
0.0	NA	0.8	0.0	0.0	6.0	1.3	32	1 13
0.0	NA	0.0	0.8	0.0	5.9	1.6	32	3 15
0.0	NA	0.0	0.0	0.8	6.1	1.2	32	7 19
0.0	NA	0.4	0.4	0.0	6.2	1.2	32	5 17
0.0	NA	0.0	0.4	0.4	6.2	1.3	32	11 23
0.0	NA	0.4	0.0	0.4	6.2	1.3	32	9 21
			$\underline{F} = 0.3$	(NSD)				
<u>b. 0.</u>	2 % Add	ied Pepper						
0.2	NA	0.8	0.0	0.0	6.3	1.4	32	2 14
0.2	NA	0.0	0.8	0.0	6.3	1.3	32	4 16
0.2	NA	0.0	0.0	0.8	6.4	1.2	32	8 20
0.2	NA	0.4	0.4	0.8	6.5	1.2	32	6 18
0.2	NA	0.0	0.4	0.4	6.5	1.2	32	12 24
0.2	NA	0.4	0.0	0.4	6.4	1.2	32	10 22
			F = 0.2	(NSD)				
B. Pepp	er Addii	tion						
<u>c. No</u>	Added 7	<u>rsp</u>						
NA	0	0.8	0.0	0.0	6.1	1.4	32	1 2
NA	0	0.0	0.8	0.0	6.1	1.3	32	3 4
NA	0	0.00	0.0	0.8	6.4	1.3	32	7 8
NA	0	0.4	0.4	0.0	5.9	1.2	32	5 6
NA	0	0.0	0.4	0.4	6.3	1.2	32	11 12
NA	0	0.34	0.0	0.4	6.3	1.1	32	9 10
			F = 0.7	(NSD)				
<u>d. 20</u>	% Added	TSP ·						
NA	20	0.8	0.0	0.0	6.2	1.3	32	13 14
NA	20	0.0	0.8	0.0	6.0	1.6	32	15 16
NA	20	0.0	0.0	0.8	6.1	1.2	32	19 20
NA	20	0.4	0.4	0.0	6.8	1.0	32	17 18
NA	20	0.0	0.4	0.4	6.4	1.3	32	23 24
NA	20	0.4	0.0	0.4	6.3	1.4	32	21 22
			$\underline{F} = 1.$	4 (NSD)	•			

Table 12 - Effect of Added Flavorings on Sensory Color Scores

			Additives					Tested		
<u>Pepper</u>	<u>TSP</u>	Salt (NaCl)	Onion Salt	Garlic Salt	<u>Mean</u>	<u>S D</u>	N	Products		
A. TSP	Addit	<u>ion</u>		•						
<u>a. N</u>	o Add	led Pepper								
0.0	NA	0.8	0.0	0.0	6.7	0.9	32	1 13		
0.0	NA	0.0	0.8	0.0	6.5	1.0	32	3 15		
0.0	NA	0.0	0.0	0.8	6.2	1.1	32	7 19		
0.0	NA	0.4	0.4	0.0	6.2	1.1	32	5 17		
0.0	NA	0.0	0.4	0.4	6.3	1.1	32	11 23		
0.0	NA	0.4	0.0	0.4	6.1	1.3	32	9 21		
$\underline{F} = 1.1 \text{ (NSD)}$										
b. 0.2% Added Pepper										
0.2	NA	0.8	0.0	0.0	6.7	1.2	32	2 14		
0.2	NA	0.0	0.8	0.0	6.6	0.9	32	4 16		
0.2	NA	0.0	0.0	0.8	6.7	1.1	32	8 20		
0.2	NA	0.4	0.4	0.0	6.6	1.0	32	6 18		
0.2	NA	0.0	0.4	0.4	6.8	0.8	32	12 24		
0.2	NA	0.4	0.0	0.4	6.7	0.8	32	10 22		
		· · <u>F</u>	= 0.1 (NSD)							
B. Pepp	er Ac	ldition								
c. No	Addeo	<u>I TSP</u>								
NA	0	0.8	0.0	0.0	6.5	1.3	32	1 2		
NA	ŏ	0.0	0.8	0.0	6.3	1.2	32	3 4		
NA	Ŏ	0.0	0.0	0.8	6.4	1.4	32	7 8		
NA	Ŏ	0.4	0.4	0.0	6.1	1.2	32	5 6		
NA	Ŏ	0.0	0.4	0.4	6.3	1.2	32	11 12		
NA	Ŏ	0.4	0.0	0.4	6.2	1.3	32	9 10		
		<u>F</u>	= 0.4 (NSD)							
<u>d. 209</u>	% Add	ed TSP								
NA	20	0.8	0.0	0.0	6.8	0.7	32	13 14		
NA	20	0.0	0.8	0.0	6.9	0.5	32	15 16		
NA	20	0.0	0.0	0.8	6.8	0.7	32	19 20		
NA	20	0.4	0.4	0.0	6.8	0.7	32	17 18		
NA	20	0.0	0.4	0.4	6.8	0.8	32	23 24		
NA	20	0.4	0.0	0.4	6.6	0.8	32	21 22		
		E	= 0.5 (NSD)							

Table 13 - Effect of Added Flavorings on Sensory Odor Scores

Percent Additive								Tested	
Pepper	<u>TSP</u>	Salt (NaCl)	Onion Salt	Garlic Salt	Mean	<u>SD</u>	N	Prod	ucts
A. TSP	Addition								
<u>a.</u> N	o Added	Pepper							
0.0	NA	0.8	0.0	0.0	6.3	1.2	32	1	13
0.0	NA	0.0	0.8	0.0	6.1	1.5	32	3	15
0.0	NA	0.0	0.0	0.8	6.4	1.0	32	7	19
0.0	NA	0.4	0.4	0.0	6.4	1.0	32	5	17
0.0	NA	0.0	0.4	0.4	6.3	1.1	32	11	23
0.0	NA	0.4	0.0	0.4	6.3	1.2	32	9	21
			$\underline{F} = 0.2$	(NSD)					
<u>b. 0.</u>	2% Adde	ed Pepper							
0.2	NA	0.8	0.0	0.0	6.3	1.0	32	2	14
0.2	NA	0.0	0.8	0.0	6.6	1.2	32	4	16
0.2	NA	0.0	0.0	0.8	6.6	1.2	32	8	20
0.2	NA	0.4	0.4	0.0	6.5	1.1	32	6	18
0.2	NA	0.0	0.4	0.4	6.6	1.0	32	12	24
0.2	NA	0.4	0.0	0.4	6.6	1.1	32	10	22
			$\underline{F} = 0.4$ ((NSD)					
		_		` ,					
	er Addit								
<u>c. No</u>	Added 7	<u>rsp</u>							
NA	0	0.8	0.0	0.0	6.3	1.0	32	1	2
NA	0	0.0	0.8	0.0	6.6	1.0	32	3	4
NA	0	0.0	0.0	0.8	6.6	1.3	32	7	8
NA	0	0.4	0.4	0.0	6.3	1.3	32	5	6
NA	0	0.0	0.4	0.4	6.5	1.1	32	11	12
NA	0	0.4	0.0	0.4	6.5	1.0	32	9	10
			$\underline{F} = 0.5$	(NSD)					
<u>d. 20</u>	% Added	TSP		:					
NA	20	0.8	0.0	0.0	6.3	1.2	32	13	14
NA	20	0.0	0.8	0.0	6.2	1.6	32	15	16
NA	20	0.0	0.0	0.8	6.4	1.2	32	19	20
NA	20	0.4	0.4	0.0	6.6	0.8	32	17	18
NA	20	0.0	0.4	0.4	6.4	1.0	32	23	24
NA	20	0.4	0.0	0.4	6.3	1.3	32	21	22
			$\underline{F} = 0.4$	(NSD)					

Table 14 - Effect of Added Flavorings on Sensory Flavor Scores

		Percnt Additiv	/es					Tested
<u>Pepper</u>	<u>TSP</u>	Salt (Nacl)	Onion Salt	Garlic Salt	<u>Mean</u>	<u>SD</u>	N	Products
A. TSP A	ddition							
	Added Pe	epper						
0.0	NA	0.8	0.0	0.0	6.0	1.5	32	1 13
0.0	NA	0.0	0.8	0.0	6.0	1.5	32	3 15
0.0	NA	0.0	0.0	0.8	6.3	1.3	32	7 19
0.0	NA	0.4	0.4	0.0	6.3	1.3	32	5 17
0.0	NA	0.0	0.4	0.4	6.2	1.2	32	11 23
0.0	NA	0.4	0.0	0.4	6.4	1.2	32	9 21
			$\underline{F} = 0.5$	(NSD)				
<u>b. 0.2</u>	% Added	Pepper						
0.2	NA	0.8	0.0	0.0	6.3	1.4	32	2 14
0.2	NA	0.0	0.8	0.0	6.3	1.5	32	4 16
0.2	NA	0.0	0.0	0.8	6.5	1.4	32	8 20
0.2	NA	0.4	0.4	0.0	6.5	1.1	32	6 18
0.2	NA	0.0	0.4	0.4	6.6	1.2	32	12 24
0.2	NA	0.4	0.0	0.4	6.5	1.2	32	10 22
			$\underline{F} = 0.3$	(NSD)				
B. Peppe	r Additior	<u>1</u>						
c. No	Added TSF	_						
NA	0.0	0.8	0.0	0.0	6.1	1.4	32	1 2
NA	0.0	0.0	0.8	0.0	6.2	1.3	32	3 4
NA	0.0	0.0	0.0	0.8	6.4	1.5	32	7 8
NA	0.0	0.4	0.4	0.0	6.0	1.3	32	5 6
NA	0.0	0.0	0.4	0.4	6.3	1.2	32	11 12
NA	0.0	0.4	0.0	0.4	6.5	1.0	32	9 10
			$\underline{F} = 0.6$	(NSD)				
d. 20%	Added TS	SP						
		- 						
NA	20	0.8	0.0	0.0	6.1	1.5	32	13 14
NA	20	0.0	0.8	0.0				15 16
NA	20	0.0	0.0	0.8	6.1	1.4	32	19 20
NA	20	0.4	0.4	0.0	6.8	1.0	32	17 18
NA	20	0.0	0.4	0.4	6.4	1.2	32	23 24
NA	20	0.4	0.4	0.4	6.4	1.4	32	21 22
			$\underline{F} = 1.3$	(NSD)				

Table 15 - Effect of Added Flavorings on Sensory Texture Scores

Pepper	TSP	Percent Ac Salt (NaCl)		Garlic Salt	<u>Mean</u>	<u>SD</u>	<u>N</u>	<u>Tested</u> <u>Products</u>
A. TSP	Additio	n						
		ed Pepper						
0.0	NA	0.8	0.0	0.0	6.9	1.0	32	1 13
0.0	NA	0.0	0.8	0.0	6.8	0.9	32	3 15
0.0	NA	0.0	0.0	0.8	6.9	0.9	32	7 19
0.0	NA	0.4	0.4	0.0	6.9	0.9	32	5 17
0.0	NA	0.0	0.4	0.4	6.6	1.1	32	11 23
0.0	NA	0.4	0.0	0.4	6.8	1.1	32	9 21
			$\underline{F} = 0.6$	(NSD)				
<u>b. 0</u>	.2% Ac	lded Pepper						
0.2	NA	0.8	0.0	0.0	6.7	0.9	32	2 14
0.2	NA	0.0	0.8	0.0	6.8	0.9	32	4 16
0.2	NA	0.0	0.0	0.8	6.8	1.0	32	8 20
0.2	NA	0.4	0.4	0.0	6.7	1.0	32	6 18
0.2	NA	0.0	0.4	0.4	6.8	0.9	32	12 24
0.2	NA	0.4	0.0	0.4	6.8	0.9	32	10 22
			$\underline{F} = 0.2$	(NSD)				
B. Pepp	er Ado	dition						
<u>c. No</u>	Added	I TSP						
NA	0.0	0.8	0.0	0.0	6.7	1.0	32	1 2
NA	0.0	0.8	0.8	0.0	6.6	1.0	32	3 4
NA	0.0	0.0	0.0	0.8	6.7	1.1	32	7 8
NA	0.0	0.4	0.4	0.0	6.6	1.2	32	5 6
NA	0.0	0.0	0.4	0.4	6.7	1.0	32	11 12
NA	0.0	0.4	0.0	0.4	6.7	1.1	32	9 10
			$\underline{F} = 0.1$	(NSD)				
<u>d. 20</u>	% Add	ed TSP						
NA	20	0.8	0.0	0.0	6.8	0.9	32	13 14
NA	20	0.0	0.8	0.0	7.0		32	15 16
NA	20	0.0	0.0	0.8	6.7	1.0	32	19 20
NA	20	0.4	0.4	0.0	7.0	0.6	32	17 18
NA	20	0.0	0.4	0.4	6.7	1.0	32	23 24
NA	20	0.4	0.0	0.4	6.8	1.0	32	21 22
			$\underline{F} = 0.7$	(NSD)				

Table 16 - Effect of Added Flavorings on Sensory Appearance Scores

		Percent A	dditives	Carlin Calt	<u>Mean</u>	SD	<u>N</u>	Tested Products
Pepper	TSP	Salt (NaCl)	Union Sait	Garlic Salt	MEan	<u>3D</u>	17	TTOUUCES
A. TSP	Additi	on						
a. No	Add	ed Pepper						
0.0	NA	0.8	0.0	0.0	6.8	0.8	32	1 3
0.0	NA	0.0	0.8	0.0	6.7	1.0	32	3 15
0.0	NA	0.0	0.0	0.8	6.6	1.0	32	7 19
0.0	NA	0.4	0.4	0.0	6.6	1.0	32	5 17
0.0	NA	0.0	0.4	0.4	6.7	1.1	32	11 3
0.0	NA	0.4	0.0	0.4	6.7	1.1	32	9 21
			$\underline{F} = 0.2$	(NSD)				
<u>b. 0</u>	.2% A	Added pepper	•					
0.2	NA	0.8	0.0	0.0	6.7	0.9	32	2 14
0.2	NA	0.0	0.8	0.0	6.6	1.1	32	4 16
0.2	NA	0.0	0.0	0.8	6.7	1.1	32	7 8
0.2	NA	0.4	0.4	0.0	6.6	1.1	32	5 6
0.2	NA	0.0	0.4	0.4	6.8	1.0	32	11 12
0.2	NA	0.4	0.0	0.4	6.7	1.1	32	9 10
			$\underline{F} = 0.3$	(NSD)				
B. Pepp	er A	ddition						
<u>a. No</u>	Add	ed TSP						
NA	0.0	0.8	0.0	0.0	6.8	0.9	32	1 2
NA	0.0	0.0	0.8	0.0	6.6	1.2	32	3 4
NA	0.0	0.0	0.0	0.8	6.7	1.1	32	7 8
NA	0.0	0.4	0.4	0.0	6.6	1.1	32	5 6
NA	0.0	0.0	0.4	0.4	6.8	1.0	32	11 12
NA	0.0	0.4	0.0	0.4	6.7	1.1	32	9 10
			$\underline{F} = 0.1$	(NSD)				
<u>b. 20</u>)% Ac	ided TSP						
NA	20	0.8	0.0	0.0	6.8	0.8	32	13 14
NA	20	0.0	0.8	0.0	6.7	0.8	32	15 16
NA	20	0.0	0.0	0.8	6.5	1.0	32	19 20
NA	20	0.4	0.4	0.0	6.8	0.7	32	17 18
NA	20	0.0	0.4	0.4	6.8	0.8	32	23 24
NA	20	0.4	0.0	0.4	6.7	1.0	32	21 22
			$\underline{F} = 0.4$	(NSD)				

Table 17 - Effect of Salt, Onion Salt and Garlic Salt on Sensory Scores

Perc	cent Add								
Salt (NaCl)		Garlic Salt		Color	Odor	<u>Flavor</u>	Texture	Appear-	Tested Products
-			<u>oroneo</u>	<u>C0101</u>	Odor	<u> </u>	<u> </u>		
0.8	0.0	0.0							1 12 13 24
		mean	6.1	6.7	6.3	6.1	6.8	6.8	
		SD	1.4	1.1	1.1	1.4	1.0	0.8	
0.0	0.8	0.0							3 4 15 16
		mean	6.1	6.6	6.4	6.1	6.8	6.7	
		SD	1.4	0.9	1.4	1.5	0.9	1.0	
0.0	0.0	0.8							7 8 19 20
0.0	0.0	mean	6.3	6.6	6.5	6.3	6.7	6.6	
		SD	1.2	1.1	1.4	1.4	1.1	1.0	
0.4	0.4	0.0							5 6 17 18
0.4	0.4		6.2	6 1	6.4	6.4	6.8	6.7	3 0 17 10
		mean	6.3	6.4			0.8	0.7	
		SD	1.2	1.1	1.0	1.2	0.9	0.9	
0.0	0.4	0.4							11 12 23 24
		mean	6.3	6.5	6.5	6.4	6.7	6.8	
		SD	1.2	1.0	1.1	1.2	1.0	0.9	
0.4	0.0	0.4							9 10 21 22
0	0.0	mean	6.3	6.4	6.	6.4	6.8	6.7	
		SD	1.3	1.1	1.2	1.2	1.0	1.1	
			*.5			- 1			
		<u>F</u>	0.5	0.6	0.3	0.6	0.2	0.2	

All scores showed no significant differences. Mean of 64 scores.

Table 8 shows the proximate analysis and phosphate content of the samples using standard AOAC methods (1970). The analyses showed that the TSP containing ground beef is well matched to water, total protein and fat content.

Table 18 - Proximate Analysis of Raw Product

		Percent Protein		Percent Ash	Percent Fiber	
n o	68.7	20.3	9.3	1.6	0.1	0.28
yes	68.8	20.2	9.6	1.5	0.1	0.27

Summary

These sensory studies show that a highly acceptable irradiation sterilized ground beef product can be prepared with the addition of different flavorings. TSP can also be used in the product preparation.

References

Pearson, A.A., 1973. What's New in Research. National Provisioner, 169:15

Food and Nutrition Service, USDA, 1971, FNS Notice 219

Cohen, J.S., G. W. Shults and V. Mason, 1976. Variables Affecting the Acceptance of Irradiated Ground Beef Products, II. Effects of Textured Soy Protein and Fat Levels

Cross, H.R., M.S. Stanfield, E.C. Green, J.M. Heinemeyer and A.B. Hollick, 1975. Effect of Fat and Textured Soy Protein Content on Consumer Acceptance of Ground Beef. J. of Food Science, 40: 1331

Loveridge, V., 1994. Quality Assessment of Irradiated Foods AM94-18

Peryam, D.R. and F.J. Pilgrim, 1957. Hedonic Scale Method for Measuring Food

Preferences. Food Technology, 11 (9), supplement, 9.

Snedecor, G.W. and W.G. Cochran, 1967. "Statistical Methods", 6th ed., Iowa State University Press, Ames, IA

Association of Official Analytical Chemists (AOAC), 1970. Methods of Analysis, 11th ed. Washington, D.C.